

Sloped roof

Louvered vent

1530 Overall Height

1175 Overall Width

1175 Overall Length

TITLE		PWH1501 Grey	
DRAWN BY	J. Ellison	DATE	17/02/2022
CUSTOMER	CUSTOMER		

Foundation Requirements:
 The foundation area must be no less in length and width than the external dimensions of the enclosure. The foundation must be constructed so as to be capable of supporting the weight of the enclosure and equipment contained within it. The foundation must be continuous and be no more than ±2mm over any given metre.

ALL DIMENSIONS +/- 5mm
 UNLESS OTHERWISE STATED

DESCRIPTION:
 PWH1501 c/w Louvered vent

A4


ALL DIMENSIONS IN MM - DO NOT SCALE

DATE	VERSION	NOTES
17/12/2021	A	FIRST ISSUE

TANK SPECIFICATION :	
INTERNAL DIMENSIONS	1000 x 1000 x 1500mm
EXTERNAL DIMENSIONS	1175 x 1175 x 1530mm
DRY WEIGHT	120 KG
INSULATION THICKNESS	25mm
MATERIAL	GRP



SCALE:1:25 SHEET 1 OF 2



TITLE
PWH1501 Green

DRAWN BY J. Ellison DATE 17/02/2022

CUSTOMER CUSTOMER

Foundation Requirements:
The foundation area must be no less in length and width than the external dimensions of the enclosure. The foundation must be constructed so as to be capable of supporting the weight of the enclosure and equipment contained within it. The foundation must be continuous and be no more than ±2mm over any given metre.

ALL DIMENSIONS +/- 5mm UNLESS OTHERWISE STATED

DESCRIPTION:
PWH1501 c/w Louvered vent

A4

ALL DIMENSIONS IN MM - DO NOT SCALE

DATE	VERSION	NOTES
17/12/2021	A	FIRST ISSUE

TANK SPECIFICATION :	
INTERNAL DIMENSIONS	1000 x 1000 x 1500mm
EXTERNAL DIMENSIONS	1175 x 1175 x 1030mm
DRY WEIGHT	120 KG
INSULATION THICKNESS	25mm
MATERIAL	GRP

SCALE:1:25 SHEET 2 OF 2

